



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/026,114		12/22/2001	Gagan L. Choudhury	CHOUDHURY 2001-0326 7405	
26652	7590	11/22/2005		EXAMINER	
AT&T CO			TIEU, BENNY QUOC		
P.O. BOX 4110 MIDDLETOWN, NJ 07748				ART UNIT	PAPER NUMBER
	,			2642	
				DATE MAILED: 11/22/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Supplemental	10/026,114	CHOUDHURY ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Benny Q. Tieu	2642	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to and MPEP 1308.	plication. If not includent will be mailed in due	ed course. <b>THIS</b>
1. This communication is responsive to <u>Interview on Nov. 7, 2</u>	005 and Examiner's Amendment.		
2. The allowed claim(s) is/are <u>1-41</u> .			
<ol> <li>Acknowledgment is made of a claim for foreign priority un</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ol> * Certified copies not received:	been received. been received in Application No		tion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the re-	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give			IOTICE OF
<ul> <li>5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mus</li> <li>(a) ☐ including changes required by the Notice of Draftspers</li> <li>1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> <li>(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the deposition of the deposition of</li></ul>	on's Patent Drawing Review (PTO- s Amendment / Comment or in the C 84(c)) should be written on the drawine header according to 37 CFR 1.121( sit of BIOLOGICAL MATERIAL r	Office action of ngs in the front (not the d). must be submitted. I	
attached Examiner's comment regarding REQUIREMENT I	-OR THE DEPOSIT OF BIOLOGIC	AL MATERIAL.	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application (PT)	O-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary (PTO-413),		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da 8), 7. ⊠ Examiner's Amendi		
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.  Examiner's Stateme	ent of Reasons for Allo	owance

Page 2

Application/Control Number: 10/026,114

Art Unit: 2642

## **EXAMINER'S AMENDMENT**

- An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37
   CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Attorney Henry T. Brendzel on the date of November 07, 2005.
- 3. The application has been amended as follows:

In claim 14, line 1, "claim 17" has been changed to --claim 7--.

In claim 15, line 1, "claim 17" has been changed to --claim 7--.

Misnumbered claim 3 on page 25 of specification has been renumbered as claim 20.

(End of Amendment)

BENNYTIEU BRIMARY EXAMINER